## HOW TO MAKE AN EMERGENCY BOTTLE

Use a medicine dropper or turkey baster.

Dribble milk (or formula or other liquid) into the side of the baby's mouth. Allow time for swallowing before inserting the next dropperful.

Use a straw.

Suck fluid into a straw and sustain tension by placing your thumb on the top of the straw. Put the straw into the side of the baby's mouth and remove your thumb periodically from the straw, releasing the tension and allowing the liquid to dribble out at intervals.

Use a gravy boat.


Slowly pour small amounts of liquid into the baby's mouth with the spout directing intake. Small creamers from tea sets can also be used. Even better are creamers from children's tea sets.

Use a water gun.

Fill the barrel with milk. Gently pull the trigger and squirt milk into the side of the baby's mouth.

Use a sports water bottle.

Squeeze milk into the baby's mouth.





## Use a cake-decorating bag.

Fill the bag three-quarters full with milk, keeping your finger over the hole of the decorating tip. Twist the end of the bag and hold it closed to contain the milk. Gingerly insert the tip into the baby's mouth at regular intervals and control the flow of the milk with your fingertip. Round, oval, and leaf decorating tips are preferred.



## Use a hamster bottle.

Sterilize the bottle and tube. Fill the bottle with milk. The leakproof vacuum will prevent the milk from spilling. Do not secure the bottle onto a car seat or bassinet for self-feeding.

## Be Aware

Do not use airplane mini-bottles or rubber gloves or balloons with a hole poked in the end as substitute bottles.

